Princeton Allergy and Asthma Associates, P.A. Phone: 609-921-2202 Fax: 609-924-1468

Appointment Date/Time: ______ PR PL HM FL

ALLERGY SKIN TESTING AND MEDICATIONS (please wear short sleeves)

For **NEW PATIENT VISITS**: Several medications interfere with allergy skin testing. If you would like to be skin tested, please follow the recommended time intervals listed below for allergy medications that would need to be stopped for accuracy. **Please do not stop any chronic medications.** The nurse will ask you what medications you are taking, **so please have a complete list when you come to the office.** If you have severe allergy or asthma symptoms you may not be able to be tested for safety reasons. It will be done at the discretion of your physician.

DO NOT STOP ANY OF THE FOLLOWING CHRONIC MEDICATIONS TO TREAT OTHER CONDITIONS

Blood pressure medications Antibiotics Antidepressants Inhalers for asthma or COPD

Oral steroids Thyroid medications All asthma medications

Cardiac (heart) medications Psychiatric medications

The following medications **need** to be **STOPPED 5 DAYS** Before Skin Testing (with a few exceptions as noted.)

This list may not be complete, since new medications come on the market frequently, so please call us with any questions:

1. Older Allergy Medications 5 DAYS

Benadryl (diphenhydramine) Ru-Tuss, Triaminic (pheniramine) Chlor-Trimeton (chlorpheniramine)
Polaramine (tripelenamine) Actifed (triprolidine) Dimetapp, Dimetane (brompheniramine)

Nolahist, Nolamine = phenindamine Trinalin (azatadine) Bromfed (brompheniramine)

Periactin (cyproheptadine) 9 DAYS

2. Non-Sedating Allergy Medications (7 DAYS)

Claritin, Alavert (loratadine) Allegra (fexofenadine) Clarinex (desloratadine)

Zyrtec (cetirizine) Xyzal (levocetirizine)

3. Over-the-Counter Cold, Sinus, and cough Medications 5 DAYS

Phenergan (promethazine) Alleve Cold Advil Cold/Sinus Alka-Seltzer Plus/Cold Comtrex
Contact Coricidin Drixoral Pediacare Rondec
Rynatan Semprex D Sinutab Sudafed Theraflu

Triaminic Allergy Tylenol Cold/Sinus Anything else with "PM" or "Allergy" in the name

4. Medications for Itching and Hives 5 DAYS

Atarax, Vistaril (hydroxyzine)

5. Medications for Nausea and Motion Sickness 5 DAYS

Antivert, Bonine (meclizine) Dramamine (dimenhydrinate)

6. Over-the-Counter Sleeping Medications 5 DAYS

Advil PM Excedrin PM Sominex

Nyquil Tylenol PM Anything else with "PM"

7. Allergy Nasal Sprays 14 DAYS

Patanase (olapatidine) Astelin, Astepro (azelastine) Dymista (azelastine, fluticasone) Ryaltris (olopatadine, mometasone furoate All others are not a problem

8. Reflux/Stomach medications 5 DAYS

Axid (nizatidine) Pepcid (famotidine) Tagamet (cimetidine) Zantac (ranitidine)

9. Allergy Eye Drops 7 DAYS

Bepreve (bepotastine besilate) Elestat (epinastine HCl) Lastacaft (alcaftadine) Livostin (levocabastine HCl)

Optivar (azelastine HCl) Pataday (olopatadine HCl) Zaditor (ketotifen fumarate) Zerviate (cetirizine)

The following drugs should NOT be discontinued, but please tell the nurse if you are taking any of them:

Norpramin (desipramine) Sinequan, Deptran (doxepin) Tofranil (imipramine) Remeron (mirtazapine) Zyprexa (olanzapine) Xanax (alprazolam) Celexa (citalopram) Ativan (lorazepam)

Benzodiazepines

Intranasal steroid sprays will not interfere with testing:

Flonase (fluticasone), Nasonex, Zetonna, Nasacort (triamcinolone), Rhinocort, QNASL 6/20/23